

From: [McDonald, Patrick](#)
To: [Reservoir Containment](#)
Cc: [Ken Schuldhaus](#); [Gary Dilay](#); [Abel, Terry](#)
Subject: Supplemental Request for Clarification on CAPP Reservoir Containment Submission of January 9, 2015
Date: Thursday, April 02, 2015 9:38:59 AM
Attachments: [image001.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.jpg](#)
[image007.png](#)
[image002.jpg](#)
[20150402 - Supplementary CAPP Submission to AER on Reservoir Containment....pdf](#)

Good Morning,

As a follow up to the discussions of February 25, 2015, The Canadian Association of Petroleum Producers (CAPP) provides the additional requested context regarding AER's request for further clarification.

In addition to the attached letter, CAPP would also like to extend the invitation to the AER to engage with industry to set a path forward regarding the below CAPP recommendation.

- *Industry and the AER should immediately undertake to develop a public database of raw and interpreted fracture closure gradient data to support identification of "representative" fracture closure gradients and assist in reducing the uncertainty associated with MOP formula inputs.*

CAPP supports the creation of a public database of the data inputs to the MOP formula, but recognizes the AER must be in alignment with the approach and content of any data collected.

CAPP is prepared to meet when suitable to the AER to develop a strategy and work plan that results in the creation of such a database.

Regards,
Patrick

Patrick McDonald P.Eng | Manager Oil Sands

D: 403.267.1136 | Email: Patrick.McDonald@capp.ca Website: www.capp.ca



Please Note / Veuillez noter: This communication is intended for the person or entity to which it is addressed and may contain confidential and/or privileged information. If you have received this communication in error, please contact the

sender immediately and delete all copies.
Cette communication est reservee a l'usage de la personne a qui elle est
adreesee
et peut contenir de l'information confidentielle et privilegee. Si vous avez
recu
cette communication par erreur, veuillez immediatement communiquer avec son
expediteur et detruire toutes les copies.
